## Journal of Molecular Pharmaceutics & Organic Process Research



**Research Article** 

Open Access


# Liposomal and Beaded Drug Delivery Systems


### Christo Molloy\*

Coconut Processing Research Division, Coconut Research Institute, Lunuwila, Sri Lanka

#### Abstract

Drug delivery is the sysem or process of adminisering pharmaceutical composites to produce a remedial efect in humans or creatures. Nasal and pulmonary routes of medicine adminisration are getting decreasingly important for the treatment of mortal complaint. These routes represent promising druthers for parenteral medicine delivery, especially for peptide and protein rectifers. To this end, several medicine delivery sysems have been formulated and delved for nasal and pulmonary delivery. These include, but aren't limited to liposomes, proliposomes, microspheres, gels, prod hairpieces, cyclodextrins. Nanoparticles composed of biodegradable polymers have demonsrated the safety of delivering medicines in a prescribed manner and demeaning within an respectable timeframe, meeting the srict conditions placed on these delivery sysems.






\*Corresponding author: Christopher Molloy, Coconut Processing Research Division, Coconut Research Institute, Lunuwila, Sri Lanka, E-mail: christo. molloy22@gmail.com

Received: 3-Jan-2023, Manuscript No: jmpopr-23-85583, Editor assigned: 06-Jan-2023, PreQC No: jmpopr-23-85583 (PQ), Reviewed: 20-Jan-2023, QC No: jmpopr-23-85583, Revised: 23-Jan-2023, Manuscript No: jmpopr-23-85583 (R), Published: 30-Jan-2023, DOI: 10.4172/2329-9053.1000157

Citation: Molloy C (2023) Liposomal and Beaded Drug Delivery Systems. J Mol Pharm Org Process Res 11: 157.

**Copyright:** © 2023 Molloy C. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.



#### Page 3 of 3

delivery profle observed with two diferent transdermal formulations. Pharm Res 14:1264-1268.

- Thacharodi D, Rao KP (1996) Rate-controlling biopolymer membranes as transdermal delivery systems for nifedipine: Development and in vitro evaluations. Biomaterials 17:1307-1311.
- Nanda A, Khar RK (1994) Permeability characteristics of free flms were studied using the drugs such as diltiazem hydrochloride and indomethacin. Drug Dev Indian Pharm 20:3033-3044.
- Mukhopadhyay A, Mukhopadhyay B, Basu K (1995) Circumvention of multidrug resistance in neoplastic cells through scavenger receptor mediated drug delivery. FEBS Lett 76:95-98.