



In – Vitro Drug Interaction between Tulsi and Glimepride

Dr. Yadav Swati*

Abstract


The study was designed to determine the interaction of *O. sanctum*, an herbal drug used in many herbal formulations for hypoglycemic activity with Glimepiride, a sulfonylurea (SU) derivative, widely used in the treatment of type-2 diabetes, in diabetic rats. Whole study was divided into four phases in which hypoglycaemic activity with single doses of *O. sanctum* and glimeperide was established in single day study and repeated dose treatment of *O. sanctum*


M
S

M
S

M
S

E
s
s
ad libitum





References

1. Prasad KPRC, Tharangani PGD, Samaranayake CN (2009) Recurrent relapses of depression in a patient established on sertraline after taking herbal { ^{ã&ã}æ]â { ðcc~!^•.æâ@!â.â!~*ââ}c^!æ&çâ[]ÑÉ Journal of psychopharmacology 23: 216-219.
2. Chan K (2003) Ú[{ ^{ãæ•}^&c•â [-â c[ç&â &[]çæ { ð}æ}c•â ð}â @!âæâ { ^{ã&ã}^•É Chemosphere 52:1361-1371.
3. Gohil KJ, Patel JA (2007) Herb-drug interactions: A review and study based on assessment of clinical case reports in literature. Indian Journal of Pharmacology 39:129-131.
4. Adewuya A, Makanjuola R (2009) Preferred treatment for mental illness among Southwestern Nigerians. Psychiatric Services 60:121-124.
5. Ahmed IM, Bremer JJ, Magzoub ME, Nouri MH (1999)