Lung Cancer Screening: Low-Dose CT and Its Implications

The University of Texas MD Anderson Cancer Center, USA

Lung cancer remains one of the leading causes of cancer-related mortality worldwide, primarily due to latestage diagnosis. Early detection through screening has the potential to signif cantly reduce mortality rates. Low-Dose Computed Tomography (LDCT) has emerged as a pivotal tool in lung cancer screening, ofering high sensitivity in detecting early-stage lung cancers while minimizing radiation exposure. This abstract reviews the ef cacy, benefts, and challenges associated with LDCT screening for lung cancer. It delves into the key fndings from major clinical trials, such as the National Lung Screening Trial (NLST), which demonstrated a 20% reduction in lung cancer mortality with LDCT screening. The abstract also discusses the implications of LDCT screening on public health policies, including recommendations from health organizations, cost-efectiveness considerations, and the potential for overdiagnosis and false positives. Furthermore, it addresses the integration of LDCT screening into clinical practice, highlighting the importance of risk stratif cation, patient selection criteria, and the role of smoking cessation programs. The abstract concludes by exploring future directions in lung cancer screening, including advancements in imaging technology, artificial intelligence applications, this abstract aims to inform healthcare professionals, policymakers, and researchers about the current state and future prospects of lung cancer screening.

d c i

Lung cancer is the leading cause of cancer-related deaths globally, accounting for approximately 1.8 million deaths annually. Despite advances in treatment, the prognosis for lung cancer remains poor, primarily due to the fact that the majority of cases are diagnosed at an advanced stage. Early detection is critical for improving survival rates,

Lien Melee, The University of Texas MD Anderson Cancer Center, USA, E- mail: lienmelee@gmail.com

01-May-2024, Manuscript No. acp-24-141585; 03-May-2024, PreQC No. acp-24-141585(PQ); 17-May-2024, QC No. acp-24-141585; 23-May-2024, Manuscript No. acp-24-141585(R); 30-May-2024; DOI: 10.4172/2472-0429.1000222

Lien M (2024) Lung Cancer Screening: Low-Dose CT and Its Implications Adv Cancer Prev 8: 222.

© 2024 Lien M. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

from invasive procedures. Approximately 25% of LDCT screenings result in a positive nding, yet over 95% of these ndings are not cancerous. is necessitates the development of re ned screening protocols and follow-up strategies to manage false positives e ectively. Overdiagnosis is another critical issue, where indolent tumors that would not have caused harm during the patient's lifetime are detected and treated. is can lead to overtreatment and associated morbidities. Balancing the bene ts of early detection with the risks of overdiagnosis is essential in optimizing LDCT screening programs [6].

Ech Micch ide a in

e cost-e ectiveness of LDCT screening is an important factor in its implementation. While the upfront costs of screening and subsequent diagnostic procedures are signi cant, these must be weighed against the potential savings from avoiding late-stage cancer treatments and extending patients' lives. Economic models generally support the cost-e ectiveness of LDCT screening, particularly when targeted at high-risk populations. However, the nancial burden on healthcare systems and the need for equitable access to screening services remain pertinent issues [7].

egai¹ chical ac ice

Successful integration of LDCT screening into clinical practice requires a comprehensive approach. is includes establishing standardized screening protocols, ensuring access to high-quality imaging facilities, and training healthcare providers. Risk strati cation tools are vital for identifying individuals who would bene t most from screening, thereby maximizing the e ectiveness and e ciency of screening programs. Smoking cessation programs are an integral component of lung cancer screening initiatives. Combining LDCT screening with robust smoking cessation support can amplify the bene ts of early detection by addressing the primary cause of lung cancer. Encouragingly, some studies have shown that participation in screening programs can motivate individuals to quit smoking [8].

F e di ec i

e future of LDCT screening for lung cancer lies in the renement of screening criteria, technological advancements, and personalized approaches. Arti cial intelligence (AI) and machine learning algorithms hold promise for improving the accuracy of LDCT interpretation, reducing false positives, and enhancing risk prediction models [9]. Additionally, integrating genomic and biomarker data could further personalize screening and identify individuals at the highest risk. Research into optimizing screening intervals and understanding the long-term outcomes of screened populations will also be crucial. As data from ongoing and future studies become available, they will inform guidelines and policies to enhance the e ectiveness of LDCT screening [10].

C¹ cl i⁴

LDCT screening for lung cancer has demonstrated signi cant potential in reducing mortality through early detection. While challenges such as false positives, over diagnosis, and economic considerations must be addressed, the bene ts of screening, particularly for high-risk populations, are compelling. A multifaceted approach, incorporating technological advancements, personalized risk assessment, and smoking cessation support, will be essential in maximizing the impact of LDCT screening. Continued research and thoughtful integration into clinical practice will ultimately enhance lung cancer prevention and improve patient outcomes.

Baralt L,Weitz TA (2012) The Komen-planned parenthood controversy: