**Open Access** 

X 13 1 ١đ ١đ ١đ N. ١Î)  $\psi_{V|V} \rightarrow$ лđ ¥. N/ Ľ, NE ıđ, . . • . ιđ ... 1 • • .

- Leonard WJ, Depper JM, Crabtree GR, Rudikoff S, Pumphrey J, et al. (1984) Molecular cloning and expression of cDNAs for the human interleukin-2 receptor. Nature 311: 626–631.
- Nikaido T, Shimizu A, Ishida N, Sabe H, Teshigawara K, et al. (1984) Molecular cloning of cDNA encoding human interleukin-2 receptor. Nature 311: 631–635.
- Aufero B, Guo M, Young C, Duanmu Z, Talwar H, et al. Staphylococcus aureus induces the expression of tumor necrosis factor-alpha in primary human keratinocytes. Int J Dermatol 46: 687-694.
- Vielhauer V, Mayadas TN (2007) Functions of TNF and its receptors in renal disease: distinct roles in infammatory tissue injury and immune regulation. SeminNephrol 27: 286-308.
- Fiorentino DF, Zlotnik A, Vieira P, Mosmann TR, Howard M, Moore KW, O'Garra A (1991) IL-10 acts on the antigen-presenting cell to inhibit cytokine production by Th1 cells. J Immunol 146: 3444-3451.

15.