
*Corresponding author: Zhang J, Beijing chaoyang, TianShuiYuan street no. 6, Beijing Inspection And Quarantine Testing Center, Beijing Entry-Exit Inspection Quarantine Bureau, Beijing, China, 100026, Tel/Fax: +86-10-58619231; E-mail:

National Institute for Viral Disease Control and Prevention, Chinese Center for Disease Control and Prevention; Biotin-AC5-Sulfo-Osu was purchased from Dojindo Laboratories (Kumamoto, Japan). Streptavidin and adenosine diphosphate (ADP) were purchased from Sigma (St. Louis, MO, USA). N-(uorescein-5-thiocarbamoyl)-1,2-dihexadecanoyl-sn-glycero-3-phosphoethanolamine,

Citation: Zhang J, Zhao Z, Xu M, Yang X, Liu Z (2015) The Establishment of Biosensor Technology Based on F_0F_1

reovirus and rotavirus infections. Avian Dis 36: 183-188.

10. Saif LJ, Bohl EH, Kohler EM, Hughes JH (1977) Immune electron microscopy of transmissible gastroenteritis virus and rotavirus (reovirus-like agent) of swine. Am J Vet Res 38: 13-20.
11. 6XJLKDBBXSNNH + 6FKPLGW :HVWKDXVHQ \$ 3RKOH +' *HOGHUEORP +5 HW DO 1HJDWLYH VWDLQLQJ (0 IRU WKH GHWHFWLRQ RI (SVWHLQ %DUU YLUXV LQ RUDO KDLU\ OHXNRSODNLD - 2UDO 3DWKRO 0HG
12. &Xk =KDQJ) <XH - 'HWHFWLQJ SURWRQ AX[DFURVV FKURPDWRSKRUHV GULYHQ E\)) \$73DVH XVLQJ 1 AXRUHVFHLQ WKLRFDUEDPRIO dihexadecanoyl-sn-glycero-3-phosphoethanolamine, triethylammonium salt. Anal Biochem 344: 102-107.
13. 6KX* <XH -& 2X <DQJ F₀F₁ATPase, rotary motor and biosensor. 1DQRVFD0H
14. Fillingame RH (1997) Coupling H⁺ transport and ATP synthesis in F1F0-ATP synthases: glimpses of interacting parts in a dynamic molecular machine. J Exp Biol 200: 217-224.
15. 6WRFMHVOLH \$* :DONHU -(0ROHFXODU DUFKLWHFWXUH RI WKH URWDU\ PRWRU in ATP synthase. Science 286: 1700-1705.
16. <DVXSD1RML + <RVKLGD 0 .LQRVLWD .- ,WRK + 5HVROXWLRQ RI GLVWLQFW URWDWLRQDO VXEVVHSHV¼