

Open Access Scientific Reports

Research Article

Open Access

14.3% (n=12), 7.6:1 (n=86), 61.2, 17.5, 2.3, 2, 1, 71.7%, 2, 70, 50, 75, < 0.001, As



Acknowledgement

We are indebted to Mr. Henry Mwangi and the Records department of Moi Teaching and Referral Hospital for availing the requisite files that made this study possible.

References

1. McCullough J (2003) Progress towards a pathogen free blood supply. *Clin Infect Dis* 37: 88-95.
2. Ross S, Jeter E (1996) Emergency surgery, trauma and massive transfusion. In : Petz LD, Kleinmann S, Swisher SW, Spencer RK, Strauss RG, editors. *Clinical Practice of Transfusion Medicine*. 3rd Edition. New York: Churchill Livingstone 563-79.
3. Dunne JR, Malone DL, Tracy JK, et al. (2004) Allogenic blood transfusion in the first 24 hours after trauma is associated with increased systemic inflammatory response syndrome (SIRS) and death. *Surgical Infections* 5: 395-404.
4. Moore FA, Moore EE, Sauaia A (1997) Blood transfusion: an independent risk factor for post injury Multiple Organ Failure. *Arch Surg* 132: 620-625.
5. Westerman RW, Davey KL, Porter K (2008) Assessing the potential for major trauma transfusion guidelines in the UK. *Emerg Med J* 25: 134-135.
6. de Graaf G, Kaja I, Bimenya G, Postma MJ, Th Sibinga C (2009) Bedside practice of blood transfusion in a large teaching hospital in Uganda: An observational study. *Asian J Transfus Sci* 3: 60-65.
7. Ngugi PM, Saula PW (2007) Open prostatectomy and blood transfusion in Nairobi. *East Afr Med J* 84: S 12-23.
8. Ayantunde AA, Ng M, Pal S, Welch NT, Parsons SL (2008) Analysis of blood transfusion predictors in patients undergoing elective oesophagectomy for cancer. *BMC Surg* 8: 3.
9. Kirolos MM, Campbell N (1997) Factors influencing blood loss in transurethral resection of prostate (TURP): auditing TURP. *Br J Urol* 80: 111-115.
10. Sakr Y, Lobo S, Knuepfer S, Esser E, Bauer M, et al. (2010) Anaemia and blood transfusion in a surgical intensive care unit. *Crit. Care* 14: R92
11. Pedersen A, Mehnert F, Overgaard S, Johnsen SP (2009) Allogenic blood transfusion and prognosis following total hip replacement: a population based follow up study. *BMC Musculoskelet Disord* 10: 167.