

Keywords: α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω

Introduction

The first part of the paper is devoted to the study of the properties of the function $f(x)$ defined by the series $\sum_{n=0}^{\infty} a_n x^n$. It is shown that $f(x)$ is analytic in the disk $|x| < 1$ and that it satisfies the functional equation $f(x) = \dots$. The second part is devoted to the study of the properties of the function $g(x)$ defined by the series $\sum_{n=0}^{\infty} b_n x^n$. It is shown that $g(x)$ is analytic in the disk $|x| < 1$ and that it satisfies the functional equation $g(x) = \dots$.

The third part of the paper is devoted to the study of the properties of the function $h(x)$ defined by the series $\sum_{n=0}^{\infty} c_n x^n$. It is shown that $h(x)$ is analytic in the disk $|x| < 1$ and that it satisfies the functional equation $h(x) = \dots$. The fourth part of the paper is devoted to the study of the properties of the function $k(x)$ defined by the series $\sum_{n=0}^{\infty} d_n x^n$. It is shown that $k(x)$ is analytic in the disk $|x| < 1$ and that it satisfies the functional equation $k(x) = \dots$. The fifth part of the paper is devoted to the study of the properties of the function $l(x)$ defined by the series $\sum_{n=0}^{\infty} e_n x^n$. It is shown that $l(x)$ is analytic in the disk $|x| < 1$ and that it satisfies the functional equation $l(x) = \dots$.

16. Touyz RM, Schiffrin EL (1999) Ang II-stimulated superoxide production is mediated via phospholipase D in human vascular smooth muscle cells. *Hypertension* 34: 976-982.

17. Yælc@^ÁVÉÁU|æ@ÁSÉÁPæ: { •ÁÔÉÁ Tæ ~|ÁÔÉÁÔæÁ^Á T ÉÁ^cæÉÁÇG€€GDÁO•&@^ { â&â}b~: Áâ} Á ^ç}^î { ^}cæ|•c| [\^Áâ^ } ^}â•Á []^æ } *î [c^} •î} ÁÔÉÁÔÇEÚÓÓHRAF ÍKAF ÍJÉF Í ÎÉ

18. Ç)ç@~à^Á T ÉÁ Øæ:\æ•Á ÚÉÁ Úâ|Á T ÉÁ T^} *^Á T ÔÉÁ Ú&@â^Á *Á ØYÉÁ^cæÉÁ ÇFJJÍDÁ Angiotensin-converting enzyme inhibition by enalapril: a novel approach to reduce ischemia/reperfusion damage after experimental liver transplantation. *Hepatology* 25: 648-651.

19. Y^} *í [, ^Á ÔÉÁ Zæ } }î} |Á ÔÉÁ Úæ } [Á ÚÉÁ Sæc^|æÁ ÔÉÁ Ú^cæÁ^Á T ÉÁ^cæÉÁ ÇG€€ÍDÁ Ú!^ç^}câ []Á [-Á, à: [•î•âî} Á^ç}^î { ^}cæ|•c| []âcâ•Áâ~Á&æ}c [] î|KÁc@^Á! []Á [-Ác~ÉÁ^cæFÉÁ Ú} 'æ { { ÁÔ [, ^ÁÔî: ÁF€€ÁÍHÍÉÍ ÎÉ

20. Jahovic N, Ercan F, Gedik N, Yüksel M, Sener G, et al. (2005) The effect of angiotensin-converting enzyme inhibitors on experimental colitis in rats. *Regul Pept* 130: 67-74.

21. Ô@î~ÁÔÉÁ T&ÇE: á^ÁÇEPEÁÓ: [,) Á ÚÉÁ Ú& [çcÁPREÁÔ~: áÁØPÁÇFJJÍ€DÁÚ)ç^}cæ|•c| { ~& [•æ|Á |^•î []Á î} | [, É' [, Á•cæc^•ÉÁ ÇEÁ ÇEÁ { [] @ [[] *â&æÉÁ @^ { [á~}æ { â&ÉÁæ } áÁ { ^cæâ []â& reappraisal. *Arch Surg* 101: 478-483.

22. Úæ| { æ } ÁÔÉÁY^cæ: î: ÁÔÉÁ \$ } æ|Á \$ ÉZ^~à^Á ÔÉÁ \$ } æ|Á \$ ÉÁ^cæÉÁÇG€€FHÁÔ^ç { ^á^c [{ áâ}^Á Pretreatment Attenuates Mesenteric Ischemia Reperfusion Injury In Rats. *Y []ÁÁRÁÚ~: ÁÚ^Á•ÁÇKÁÇJÉHÍÉ*

23. Øæ} Á ÔÉÁ Z , æ&\æÁ Ú T ÉÁ Ô } *^|@æ: ácÁ RØÁ ÇFJJJ DÁ V@^Áæ } ^~câ&Á æ } []: [æ&@^Á - [Á î•&@^ { ææ|~^}^:~•î []â}b~: î}â} Kc@^Á|ç^ÁÉHÁ RÁ T []Á T^áÇÓ^!|DÁ Í KÁ Í Í É Í J G É

24. U|æ} á^Á•ÁSÉÁÔ4|b^•• [] ÁÇEÉZ@æ [ÁYÉÁÇE } á^Á•• [] ÁÚÁÇG€€ÍDÁÔ~^&c•Á [-Áæ}câ& [æ~^|æ } çÁ treatment on intestinal ischaemia and reperfusion injury in rats. *Acta Anaesthesiol Scand* 49: 517-524.

25. Pælc { æ } Á T É Á T []c * [{ ^!~ÁÇEÁ R []•• [] ÁSÉÁPæ*~ } áÁWÁÇFJJFDÁVî••~^Á [ç~^ } æcâ [] Á in hemorrhagic shock measured as transcutaneous oxygen tension, subcutaneous oxygen tension, and gastrointestinal intramucosal pH in pigs. *Crit Care Med* 19: 205-210.

26. Ýî| { æ: ÁÔPÉÁ Xæ@|ÁÇEÔÉÁÇæ } ÁÚâÁÔŠÉÁ Xâ } \ÁÔÚÉÁ Sæ } *^ÉÔ^Á S!^!ÉÁ^cæÉÁÇFJJJ DÁ V@^Á renin-angiotensin system in swine during hypovolaemic shock combined with [[, É' [, â&@æ^ { ææ|~^c@^Á•î* { []â& [[] ÉÁÔæ: áî [çæ•&ÁÚ~: î} ÁÍ KÁ Í H J É Í Í .

27. Ô~}c@^Á ÚÉÁ Ôî: á: []^Á T ÉÁ RÍÉÁ ÇE|ÁÇæ } á^Á Ú Y Á ÇFJJÍ€DÁ Úá^}câ, &æcâ [] Á æ } áÁ &@æ: æ&c^î: æcâ [] Á [-Á c@^Á @î~@Áæ-, } çc~Á çæ•&~|æ: íæ } *î [c^} •î} Á ÚÁ !^&^ } c [] Á á} Á } æcâ mesenteric artery. *Circ Res* 47: 278-286.

28. Z@æ [ÁRÉÁY~ÁÚÉÁ V [] *ÁŠÉÁ Z@æ } *ÁÔÉÁ Rîæ } *ÁYÉÁ^cæÉÁÇG€€ÍDÁ Úç^ { æc: í}^Áæcc^ } æc^•Á intestinal ischemia/reperfusion injury in rats. *Surg Today* 38: 931-937.

29. Kingston R, Kelly CJ, Murray P (2004) The therapeutic role of taurine in ischaemia-reperfusion injury. *Curr Pharm Des* 10: 2401-2410.